



LED PANEL LIGHT





- Please read instruction carefully before assembling and installation
- Please keep instruction as reference in the future

PBLC
PB Lighting Company




Material Description (short text)	Vrated	LxWxH (mm)
NORD 600x600mm 2800lm 830 SNC	34VDC	595x595x8.5
NORD 600x600mm 2800lm 840 SNC		
NORD 600x600mm 2800lm 865 SNC		
NORD 600x600mm 3800lm 830 SNC	40.5VDC	595x595x8.5
NORD 600x600mm 3800lm 840 SNC		
NORD 600x600mm 3800lm 865 SNC	34VDC	620x620x8.5
NORD 625x625mm 2800lm 830 SNC		
NORD 625x625mm 2800lm 840 SNC		
NORD 625x625mm 3800lm 830 SNC	40.5VDC	620x620x8.5
NORD 625x625mm 3800lm 840 SNC		
NORD 600x600mm 3800lm 830 SNC TPA	40.5VDC	595x595x8.5
NORD 600x600mm 3800lm 840 SNC TPA		

Recessed mount



WARNING:

1. Ensure that any installation and maintenance be performed by a qualified electrician and that luminaire be wired in accordance with the latest IEE electrical regulations or the local equipments.
2. Ensure that the power supply is off before perform installation and maintenance and not switched on until the installation or maintenance complete.
3. The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.









The luminaire cannot be covered with thermal insulation matting or similar materials.



Caution: Risk of electric shock


4. When installing, please don't force on the luminous surface.
5. If the external fl exible cord of this luminaire is damaged, it shall be exclusively replaced by the manufacturer or his service agent or a similar qualified person in order to avoid a hazard.




IP20




B1




B2




B3




B4




B5



NORDSNC:



Orientation:




— C0 – 180°
- - C90 – 270°



The picture describes both C-planes (C0 – 180° / C90 – 270°) of the module.

*Please install the luminarie to the position given in the light calculation.

C




Accessories
not included




PBLC article number	L2xW2xH2(mm)	X(mm)	Y(mm)
NORD 600x600mm xxxxlm 8xx SNC	601x601x45	280	575
NORD 625x625mm xxxxlm 8xx SNC	626x626x45	280	600


C1




C2




C3




C4




C5



NORD SNC:



Orientation:



— C0 – 180°
- - C90 – 270°

The picture describes both C-planes (C0 – 180° / C90 – 270°) of the module.

*Please install the luminarie to the position given in the light calculation.